

Comparative Study of Brain Tumour Detection Using K means, Fuzzy C Means and Hierarchical Clustering Algorithms

Kshitij Bhagwat, Dhanshri More, Sayali Shinde, Akshay Daga, Assistant Prof Rupali Tornekar

Abstract— Image processing has become an area of boundless possibilities to explore as the advances in research field in this domain are gaining momentum. Brain tumour detection is a crucial task these days. This paper focuses on the comparative study of algorithms K means, Fuzzy C means and Hierarchical clustering on various parametric measures. Finally the tumour area is specified as confirmation step. A user friendly MATLAB GUI program has been constructed to test the proposed algorithm.

Index Terms— Brain tumour, K-means, Fuzzy C-means, Hierarchical..

1. INTRODUCTION

Brain is the center of human Central nervous system. The brain is a complex organ as it contains 50-100 billion neurons forming a gigantic neural network. Detection of anatomical brain structures with their exact location is important for treatments like radiation therapy and surgery. Radiologists perform the diagnosis of brain tumour manually on MRI images but it being time consuming and error prone as large no of image slices and the large variations between them. DICOM (Digital Imaging and Communications in Medicine) plays a key role as it is the standard for handling, storing, reading, viewing and writing, printing information for medical Imaging. The techniques like MRI (Magnetic Resonance Imaging), NMRI (Nuclear Magnetic Resonance Imaging), MRT (Magnetic Resonance Tomography) and CT (Computed Tomography) Scan are being widely used to get the images for processing to detect the tumour, out of which MRI is widely used as it provides much greater contrast between the different soft tissues of the body compared to computed tomography (CT). Segmentation techniques like K means clustering, Fuzzy C means, Hierarchical, Watershed Algorithms, and Self Organizing Maps are widely implemented depending on which methodology is required as it can be Region growing, frequency domain based or thresholding based which classifies the MRI Images.


A tumour is an acronym for a neoplasm or a solid lesion formed by an abnormal growth of cells (termed neoplastic) which looks like a swelling. Brain Tumours are composed of the cells that exhibit abnormal and unrestrained cell division. Brain tumour can be benign or malignant, benign being non-cancerous and malignant are cancerous. Malignant tumours are classified in to two types like

Primary and Secondary tumours. Benign tumour is less harmful compared to malignant as in malignant tumour it spreads rapidly invading other tissues of brain, progressively worsening the condition causing death.

MRI images to detect brain tumour classifies the tumour depending on whether the brain is an abnormal tissue containing normal volume brain tissues like white matter, gray matter and CSF (cerebro-spinal fluid) but also have some slices contain pathology like edema and necrosis hence making them abnormal brain tissues. Based on the CSF Symmetry on the vertical axis through the brain center a normal volume brain tissue and an abnormal volume brain tissue could be classified. The MRI images can be of T1, T2 weighted type of which T2 weighted Images are being widely used in Medical Imaging as in this case of cerebral and spinal study, the CSF (cerebrospinal fluid) are lighter in T2 weighted images as they are acquired using fast echo spin sequence whereas the T1 weighted images are acquired using a spin echo sequence. Primary focus on exact brain tumours location and its extraction with parameters like area and time to yield faithful and error free output.

Segmentation is process of partitioning the image into different parts having similar features. The pre-processing stages needs to done on the image initially, followed by clustering algorithms and towards the fag end thresholding be done for the extraction of the tumour which is the region of interest (ROI) from the entire image. The features for thresholding being intensity based, area based Thresholding is the vital part of segmentation as the tumour must be isolated from the brain image.


The below is a flowchart (sequence) of exactly how a tumour is detected in ours system.



Flowchart for Brain Tumour Detection

2. PRE PROCESSING:

The MRI image consist labels on the MRI such as patient name, age and marks and some other information which could interfere with the tumour detection is not of interest when detecting a tumour. At this time Pre-Processing is of vital importance as the intensity value, greater than that of the threshold value is removed from MRI right from the first row and column of the image. The high intensity values of film artifact are removed from MRI brain image.



Original Image Pre-Processed Image

Tumour location detection algorithm:

Tumour location detection algorithm is based on the fact that human brain is symmetric about vertical axis. In the given system, this algorithm is applied before applying segmentation methods. If this algorithm gives location of tumour then only apply segmentation methods.

- Step 1: Given image divided in four equal parts.
- Step 2: As human brain is symmetric about vertical axis, upper two parts compared on basis of number of pixels present in each intensity level i.e. histogram matching.
- Step 3: Step 2 repeated for lower two parts.
- Step 4: if mismatch found in upper two parts' histogram comparison, symmetry disturbed in upper part hence 'tumour present in upper part'
- Else if mismatch found in lower two parts' histogram comparison, 'tumour present in lower part'
- Else 'tumour not present' in given image.

3. SEGMENTATION TECHNIQUES

Cluster analysis or clustering is the task of assigning a set of objects into groups (called clusters), so that the objects in the same cluster are more similar to each other than to those in other clusters. Clustering can be achieved by various algorithms that differ significantly in their notion of what constitutes a cluster and how to efficiently find them. A cluster is therefore a collection of objects which are "similar" between them and are "dissimilar" to the objects belonging to other clusters.

Now for clustering we need to have basis for clustering like criterion function which defines the cluster classification on a stand, keeping in mind that the criterion function should be optimized. Suppose that we have a set D of n samples x_1, x_2, \dots, x_n that we want to partition into exactly into 'c' disjoint subsets D_1, \dots, D_c . Some of the Criterion functions for clustering are as the sum of squared error criterion, Related minimum variance criterion, Scattering criterion.

3.1 K means Clustering along with DWT

K means is the clustering method which forms k clusters of n pixel objects, wherein each pixel object belongs to the cluster of the nearest mean, which results of portioning the data space in Voronoi cells. Given a set of observations (x_1, x_2, \dots, x_n) , where each observation is a d-dimensional real vector. K-means clustering aims to partition the n observations into k sets $(k \leq n)$ $S = S_1, S_2, \dots, S_k$ so as to minimize the within-cluster sum of squares

$$arg\,s, \min \sum_{i=1}^k \sum_m^n \|X_j - \mu_i\|^2$$

Where μ_i is the mean of points in S_i .
 $m = x_j \in S_i$

It is a simple clustering method and gives fast outputs as well, but the problem of choosing the correct clustered image is a big issue in K means. However if we are using a DWT (Discrete Wavelet Transform) along with k means the we get the high level details of the tumour and

also frequency information and time space localization. When a wavelet transform is applied on the MRI image it yields wavelet decomposed image resulting in four sub bands, which are the LL (Lower resolution version of image), LH (Horizontal edge data), HL (Vertical edge data) & HH (Diagonal edge data) sub bands representing approximation, horizontal, vertical and diagonal components in the form of coefficients, respectively. LL sub band contains low level and the other three (LH, HL and HH) contain high level details. DWT (Discrete wavelet Transform) applies the approximation coefficients in LL equal to zero and apply inverse wavelet transform to obtain a high pass image from the remaining (horizontal, vertical and diagonal) sub bands and the resultant image obtained is the level-1 (L1) detail image. Thus DWT (Discrete wavelet Transform) gives a sharpened image which is added along with the original image and to the resulting outcome of the addition segmentation of k means clustering is performed, followed by thresholding techniques to extract the tumour. Thresholding can be based on many methodologies-which can be area based or intensity based.

Algorithm for K means Clustering:

Step 1: Choose K centroids at random from input MR image.

Step 2: Make initial partition of objects into k clusters by assigning objects to closest centroid

Step 3: Calculate the centroid (mean) of each of the k clusters.

- a. For object i, calculate its distance to each of the centroids.
- b. Allocate object i to cluster with closest centroid.
- c. If object was reallocated, recalculate centroid based on new cluster.

Step 4: Repeat 3 for object $i = 1, \dots, N$

Step 5: Repeat 3 and 4 until no reallocations occur.

Step 6: Assess cluster structure for fit and stability:

Step 7: Separate Image into K sub images according to clustered indexed Image

Step 8: Apply intensity and area based threshold to extract exact tumour part from image.

3.2 Fuzzy C Means

In the year 1973 Dunn developed the Fuzzy C Means algorithm and later in 1981 it was enhanced by Bezdek. However the Fuzzy logic was proposed in 1965 by Lofti A Zadak a professor of Computer Science at University of California, Berkeley.

Fuzzy logic is a form of many-valued logic or probabilistic logic. It by definition only means approximate values rather than fixed and exact. In contrast with traditional logic they can have varying values, where binary sets have two-valued logic, true or false, fuzzy logic variables may have a truth value that ranges in degree between 0 and 1. Fuzzy logic has been extended to handle the concept of partial truth, where the truth value may range between completely true and completely false.

Let X be a space of points, with a generic element

of X denoted by x. Thus, $X=\{x\}$. A Fuzzy set A in X characterized by a membership function $\mu_A(x)$ which associates with each point in X a real number in the interval [0,1], with value of $\mu_A(x)$ at x representing the grade of membership of x in A. Thus, nearer the value of $\mu_A(x)$ to unity, the higher the grade of membership of x in A. In the hard clustering process, each data sample is assigned to only one cluster and all clusters are regarded as disjoint collection of the data set. In practice there are many cases, in which the clusters are not completely disjoint and the data could be classified as belonging to one cluster almost as well to another.

This algorithm works by assigning membership to each data point corresponding to each cluster centre on the basis of distance between the cluster centre and the data point. More the data is near to the cluster centre more is its membership towards the particular cluster centre. Clearly, summation of membership of each data point should be equal to one. After each iteration, the up-gradation of the membership and cluster centres is done.

Parameters:

n : is the number of data points.

v_j : represents the cluster centre.

m : is the fuzziness index $m \in [1, \infty]$.

c : represents the number of cluster centre.

μ_{ij} : represents the membership of data to cluster centre.

d_{ij} : represents the Euclidean distance between i^{th} data and cluster centre.

Main objective of fuzzy c-means algorithm is to minimize:

$J(U,V)=$

$$\sum_{i=1}^n \sum_{j=1}^c (\mu_{ij})^m \|x_i - v_j\|^2$$

Where $\|x_i - v_j\|$, is the Euclidean distance between i^{th} data and j^{th} cluster centre.

Algorithmic steps for Fuzzy c-means clustering:

Let $X = \{x_1, x_2, x_3 \dots, x_n\}$ be the set of data points and $V = \{v_1, v_2, v_3 \dots, v_c\}$ be the set of centres.

Step 1: Randomly select c cluster centers.

Step 2: Calculate the fuzzy membership function μ_{ij} using:

$$\mu_{ij} = \frac{1}{\sum_{k=1}^c \left(\frac{d_{ij}}{d_{ik}}\right)^{\frac{2}{m-1}}}$$

Step 3: Compute the fuzzy centers v_j using:

$$v_j = \left(\sum_{i=1}^n (\mu_{ij})^m x_i \right) \div \left(\sum_{i=1}^n (\mu_{ij})^m \right),$$

$$\forall j = 1, 2, \dots, c.$$

Step 4: Repeat Step 2&3 until the minimum 'J' value is achieved or $\|U^{k+1} - U^k\| < \beta$ where,

k: is the iteration step.

β : is the termination criterion between [0, 1].

$U = (\mu_{ij})_{n+c}$ is the fuzzy membership matrix.

J: is the objective function.

3.3 Hierarchical Clustering:

A Hierarchical clustering method works by grouping data objects into a tree of clusters. There are two types of clustering 1. Agglomerative 2. Divisive. Agglomerative clustering differs in the similarity measures which employ single link, complete link, group average, centroid similarity. Hierarchical clustering doesn't require specifying the number of clusters. It is deterministic. In agglomerative clustering each element is treated as a singleton cluster and then merged (agglomerated) until all merge in a single cluster, which results in dendograms formation. Dendograms are horizontal lines which when cut at a point you get a specific part or element and explains how clustering helps forming an image.

The Algorithm for Agglomerative Hierarchical Clustering:

Step 1: We first compute the $N \times N$ similarity matrix C.

Step 2: The algorithm then executes $N - 1$ steps of merging the currently most similar clusters.

Step 3: In each iteration, the two most similar clusters are merged and the rows and columns of the merged cluster i in C are updated.

Step 4: The clustering is stored as a list of merges in A.

Step 5: I indicates which clusters are still available to be merged.

Step 6: The function $SIM(i, m, j)$ computes the similarity of cluster j with the merge of clusters i and m .

Step 7: For some HAC algorithms, $SIM(i, m, j)$ is simply a function of $C[j][i]$ and $C[j][m]$, for example, the maximum of these two values for single-link.

Divisive hierarchical is more efficient as we can stop when we reach our goal. Unlike agglomerative clustering we do not need to construct the entire hierarchy all the way down to individual leaves. Also along with efficiency even in accuracy point divisive is better than agglomerative hierarchical clustering.

Algorithm: Divisive Hierarchical Clustering

Step 1: The whole image is in one cluster.

Step 2: Find the most dissimilar point in the image and divide the image into two clusters.

Step 3: Repeat step2 for each cluster.


Step 4: A tree like structure is formed. Repeat step 2 until level 4 is reached. Level 4 has 8 clusters.

Step 5: Continue until the tumour cluster is obtained.

3.4 Enhancement:

During removal of film artifacts, the image consists of noise. The image is given to enhancement stage for the removing high intensity component and the above noise. This part is used to enhance the smoothness towards piecewise homogeneous region and reduce the edge blurring effects, which tells the necessity of Enhancement after segmentation Techniques being applied. Noise is a problem with MRI images also needs to be removed, along with the quality of the image to be maintained. Hence Enhancement step is needed.

When the tumour is detected, because of intensity based techniques are used, small matters in brain MRI like soft tissues as well as big objects like eye remain in the image alongside the tumour. In our system, area based thresholding is used in post processing of tumour image to



4. RESULTS:

The Clustering algorithms like K means, Fuzzy C means and hierarchical clustering were applied on the database of 60 brain tumour images in non-medical format (.jpg, .png, .bmp etc.) as well as Images in DICOM format yielding the following efficiencies on the basis of four parameters described below:

TP: True Positive: Tumour Present and detected

TN: True Negative: Tumour not present and not detected

FP: False Positive: Tumour not present and detected

FN: False Negative: Tumour present and not detected

Efficiency = $(TN+TP)/(TP+TN+FP+FN)$

Table 1: Efficiency in Non-medical format Images

Method	Efficiency
K means	70%
Fuzzy C means	70%
Hierarchical Clustering	66.66%

Table 2: Efficiency in DICOM Images

Method	Efficiency
K means	86.66%
Fuzzy C means	83.33%
Hierarchical Clustering	83.33%





The timing parameter for an image from the database is as

Table 3: Average Time required

Method	Time in sec
K means	0.8608
Fuzzy C means	1.6363
Hierarchical Clustering	0.4068

It clearly shows that the time required for Hierarchical is least and that for Fuzzy C means is maximum to detect the tumour. But tumour detection is much more prominent in FCM than other methods.

Image Results



methods. Regarding the number of tumour pixels, K-means clustering and Fuzzy C means gave a better result than the other methods. The three clustering algorithms were tested with a database of MRI brain images. For non-medical format images (.jpg, .png, .bmp, etc.), K-means and Fuzzy C means clustering achieved about 70% result. Hierarchical clustering achieved about 66.66% and for DICOM images overall efficiency for all algorithms proved to be improved up to 86%. Tumour location detection algorithm increases overall efficiency of the system as it reduces FP(False Positive) output form segmentation algorithm. The texture can be taken as an additional parameter for tumour detection.

6. REFERENCES:

[1] T. Logeswari and M. Karnan "An Enhanced Implementation of Brain Tumour Detection Using Segmentation Based on Soft Computing" in International Journal of Computer Theory and Engineering, Vol. 2, No. 4, August, 2010 1793-8201 586
 [2]Shruti Dalmiya, Avijit Dasgupta, Soumya Kanti Datta, "Application of Wavelet based K-means Algorithm in Mammogram Segmentation" in International Journal of Computer Applications (0975 - 8887) Volume 52- No.15, August 2012.
 3. Fuzzy Logic Introduction by Martin Hellmann, March 2001.
 [4] Satya Chaitanya Sripada, Dr. M. Sreenivasa Rao "Comparison of purity and entropy of k means clustering and fuzzy c means Clustering." in Indian Journal of Computer Science and Engineering.
 [5] N. Rajalakshmi, V. Lakshmi Prabha "Brain Tumour Detection of MR Images Based on Color-Converted Hybrid PSO+K-Means Clustering Segmentation" in European Journal of Scientific Research.
 [6]P. Tamiye Selvy, V. Palanisamy, T. Purusothaman "Performance Analysis of Clustering Algorithms in Brain Tumour Detection of MR Images" in European Journal of Scientific Research ISSN 1450-216X Vol.62 No.3 (2011), pp. 321-330 © Euro Journals Publishing, Inc. 2011.
 [7]Jinn-Yi Yeh a, J.C. Fu b "A hierarchical genetic algorithm for segmentation of multi-spectral human-brain MRI" in Expert Systems with Applications 34 (2008) 1285-1295.
 [8] Chunlin Li, Dmitry B. Goldgof and Lawrence Hall "Knowledge-Based Classification and Tissue Labeling of MR Images of Human Brain" in IEEE TRANSACTIONS ON MEDICAL IMAGING, VOL. 12, NO.4, DECEMBER 1993.
 [9]Laxman Singh, R.B.Dubey Z.A.Jaffery, Zaheeruddin "Segmentation and Characterization of Brain Tumour from MR Images" in 2009 International Conference on Advances in Recent Technologies in Communication and Computing.

Algorithm	Advantages	Disadvantages
K-Means	Simple and Less Computation is required. Output is almost accurate every time.	Efficiency is less in noisy MRI images.
Fuzzy C-Means	Utilizes the advantages of Fuzzy Set over the Crisp Set. Most Accurate detection of edges of tumour	Produce better result than K-means but not Robust to noisy images.
Hierarchical	Computational time is much less and hence fastest as compared to all	Output of tumour is not exact in many cases reducing efficiency.

Table 4: Comparison of Algorithms

5. CONCLUSION:

A new system that can be used as a second decision for the surgeons and radiologists is proposed. In this system brain tumours have been segmented with the help of three methods. The execution time for Hierarchical clustering was less compared to the other clustering

IJSER