

# Hybrid method for Image Denoising based on Wavelet Thresholding & RBF network

Mohd Masroof, Mohd Suhail, Mohd Nadeem Khan

**Abstract**--Digital image denoising is crucial part of image pre- processing. The application of denoising process in satellite image data and also in television broadcasting. Image data sets collected by image sensors are generally contaminated by noise. Imperfect instruments, problems with the data acquisition process, and interfering natural phenomena can all degrade the data of interest. Furthermore, noise can be introduced by transmission errors and compression. Thus, denoising is often a necessary and the first step to be taken before the images data is analyzed. In this paper we proposed a novel methodology for image denoising. Image denoising method based on wavelet transform and radial basis neural network and also used concept of soft thresholding. Wavelet transform decomposed image in to different layers, the decomposed layer differentiate by horizontal, vertical and diagonal. For the test of our hybrid method, we used noise image dataset. This data provided by UCI machine learning website. Our proposed method compare with traditional method and our base paper method and getting better comparative result.

**Keywords**--Image denoising, Wavelet thresholding, RBF

## 1. Introduction

Image Denoising has remained a fundamental problem in the field of image processing. Wavelets give a superior performance in image denoising due to properties such as sparsity and multi resolution structure [5]. With Wavelet Transform gaining popularity in the last two decades various algorithms for denoising in wavelet domain were introduced. The focus was shifted from the Spatial and Fourier domain to the Wavelet transform domain. The basic idea behind this paper is the estimation of the uncorrupted image from the distorted or noisy image, and is also referred to as image "denoising". There are various methods to help restore an image from noisy distortions. Selecting the appropriate method plays a major role in getting the desired image. The denoising methods tend to be problem specific[6,7]. For example, a method that is used to denoise. Satellite

images may not be suitable for denoising medical images. Each method is compared and classified in terms of its efficiency. In order to quantify the performance of the various denoising algorithms, a high quality image is taken and some known noise is added to it. This would then be given as input to the denoising algorithm, which produces an image close to the original high quality image[12,13]. The performance of each algorithm is compared by computing Signal to Noise Ratio (SNR) besides the visual interpretation. Also we find in general problem in image denoising process used wavelet transform and artificial neural network model. we proposed a novel methodology for image denoising. Image denoising method based on wavelet transform and radial basis neural network and also used concept of soft thresholding. Wavelet transform decomposed image in to different layers, the decomposed layer differentiate by horizontal, vertical and diagonal. The soft thresholding decide the parameter of improved of denoised image quality. One of these methods is wavelet thresholding developed first by Donoho and Johnstone [12]. This method removes the noise in an image by removing the wavelet coefficients that are too noisy and preserving or shrinking the coefficients that contain important image signals. The success of the method depends heavily on the choice of the threshold parameters. As a result,

- *Mohd masroof is currently pursuing masters of technology degree in electronics and communication engineering in venkateshwara University meerut, INDIA., E-mail: mdmasroof@gmail.com*
- *Mohd Suhail is currently pursuing masters of technology degree in computer science engineering in venkateshwara University Meerut, INDIA , [msuhail161@gmail.com](mailto:msuhail161@gmail.com)*
- *Mohd Nadeem Khan is currently pursuing masters of technology degree in electronics and communication engineering in Mahamaya technical University Noida INDIA., E-mail: nadeemkhanmohd@gmail.com*

various wavelet thresholding methods have been evolved, which use different approaches to determine the threshold parameters, have been reported. Wavelet transforms are multi resolution representations of signals and images. They decompose signals and images into multiscale details [15]. The basic functions used in wavelet transforms are locally supported; they are nonzero only over part of the domain represented. Sharp transitions in images are preserved and depicted extremely well in wavelet expansions. This special treatment of edges by wavelet transforms is very attractive in image filtering. The rest of this paper is organized as follows. In section II related technique for image denoising. Section III gives a proposed method. Section IV experimental result analysis V concludes this paper.

## 2. Related Work and Image Denoising


In this section we discuss existing image denoising method based on wavelet transform and artificial neural network technique. We study various research paper and journal and know about image denoising and wavelet transform and ANN. All methodology and process are not described here. But some related work in the field of image denoising in concern of wavelet and neural network, discuss. fuzengyang, yanna tian and liangliang yang in etl. [12] A new agricultural image de-noising algorithm Based on hybrid wavelet transform in this title authors describe a hybrid method based on wavelet transform for image denoising described as The conventional denoising methods cannot achieve an excellent result in de-noising of agricultural images. To solve this problem, a new de-noising method based on Genetic Algorithm (GA) and Wavelet Transform was presented, which combines the advantage of Wavelet Transform de-noising and Wiener Filter together. Yulin Zhang and Xia Zhu etd [14] Image De- Noising Algorithm Study and Realization Based on Wavelet Analysis in describe the image filtration process on the basis of different form of wavelet such as Haar orthogonal transform and its application in image denoising process as describe as The algorithm based on wavelet analysis which we have introduced does not need any transcendental information of the image, and does not depend on the image size to estimate the de-noising limits, and even does not need the

information of square difference, has the function to reduce image noise blindly. Javad Jafaryahya , Alireza Moghaddamjoo , Ahad Tavakoli and Arghavan Bahadori etd [13] Road Tracking from High Resolution Satellite Images Using a New Set of Profiles and Bayesian Filtering describe the image filtration process based on Bayesian filtering for satellite image . The authors proposed method describe as semi-automatic method for road extraction in urban or non-urban areas is presented to produce a geographical map and updating it. Anna Fabijanska etd [24] Variance Filter for Edge Detection and Edge-Based Image Segmentation describes the image filtration process based on variance filter and used in the scope of edge detection and image segmentation. The authors describe a proposed method as the proposed method utilizes variance filter to determine edge position. Results of edge detection using the new approach on synthetic and real images are presented and compared with results provided by the traditional i.e. image- derivative based approaches. High variance corresponds with edges where intensity changes sharply, while low variance is assigned to mostly uniform non-edge areas.

## 3. Proposed Method for Image Denoising

We proposed a novel methodology for image denoising based on wavelet thresholding and radial biases neural network. Initially the discrete wavelet transform function is applied into input image. Now input image decomposed in to layer structure form. After that we calculate horizontal, vertical and diagonal coefficient of input image, after that we apply soft thresholding technique and generate trained pattern using ACP algorithm. In RBF network we used Gaussian based kernel function. The ACP algorithm generates a trained pattern for the removal of noise. In that process the variance factor of noise is increase and the target PSNR value is achieved. As known, the high-order statistical relationship does play an important part in image filtration technique area. So in order to take advantage of the high-order statistical relationship among variables, so we used ACP algorithm for training the network. Proposed denoising filter is a three-layer neural network with inputs derived from an  $N \times N$  neighborhood of

the transformed image and appropriately selected neuron activation functions. As shown in Figure 4.5, the network takes  $Y_p$  and  $Y_k$  as the inputs, where  $Y_p$  is the wavelet transform coefficient under consideration, which is the center of a  $N \times N$  processing window, and  $Y_k = Y_k - Y_p$  is the difference value between  $Y_p$  and the coefficient  $Y_k (k=0,1,\dots,N-1, k \neq p)$  of the other points in the  $N \times N$  window. Figure 4.6 shows an example of a processing window with a size of  $3 \times 3$  pixels. In this example,  $Y_{12}$  is the center of the window, and  $Y_k = Y_{12} (k=0,1,\dots,24, k \neq 12)$ . So we used ACP algorithm for training the network.




**Figure 1:**  
Neural network structure

$Y_0$	$Y_1$	$Y_2$
$Y_3$	$Y_4$	$Y_5$
$Y_6$	$Y_7$	$Y_9$

Figure 2 is showing the algorithm as below

1. Find input degraded image.
2. perform wavelet transform and image decomposed in layers.
3. Find horizontal, vertical & diagonal coefficient of the wavelet.
4. Apply soft thresholding coefficient of wavelet.
5. Check value of coefficient of wavelet
6. Decide the size of vector input  $3 \times 3$

7. Trained the network.
8. Apply target value of activation function
9. Find PSNR with variance
10. Image denoised result.



**Figure 3**

Block diagram of proposed method.

### 4.Experimental Result Analysis

To investigate the effectiveness of the proposed method for image denoising and image filtration. We perform some experimental task; all these tasks perform in matlab 7.8.0 software and well famous image data set such as Lena, Barbara, and cameraman and x-ray image of finger. For experimental evaluation of our proposed algorithm for image denoising we used very famous image such as Lena, Barbara, finger and cameraman. All images are gray scale and size of resolution is  $512 \times 512$ . These image shows in figure 3 first Image.

Figure 3 second Image shows that input image for denoised method ANN and PSNR value of improved image is 22.7. For Lena Image resolution  $512 \times 512$  and variance 0.006 Denoised method




Figure 4

Denoised method	PSNR(db)
Avv	32.37
Avv+Edge preserving	30.75
Winner Filter	33.30
Proposed	33.62

Table.1 shows the PSNR value of all method applied on Lena image.

For finger image resolution 512\* 512 and variance 0.006

Denoised method	PSNR(DB)
ANN Preserving	23.19
ANN + Edge	23.14

Winner Filter	23.73
Proposed	26.11

Table 2 shows the PSNR value of all method applied on finger image

For Barbara image resolution 512\* 512 and variance 0.006

Denoised method	PSNR(db)
Avv	25.76
Avv+Edge preserving	25.89
Winner Filter	28.50
Proposed	29.47

Table.3 shows the PSNR value of all method applied on camera man image

### 5. Conclusions

In this paper a hybrid wavelet-based method based on multiscale wavelet edge detection and neural networks is proposed. RBF were used to find correlation between noised and original wavelet coefficients and approximation. Also multiscale wavelet edge detection was used for achieving a better denoising quality. Experimental results showed capability of proposed method to remove noise in terms of PSNR and visual quality. Different architectures and different activation functions is considered. The experimental

results show the mean with the traditional denoising methods, the proposed threshold-based denoising digital image denoising algorithm for mixed digital image denoising is relatively clear, especially in the more noise, more complex cases", can show its good performance. In the denoising process in order to achieve better denoising effect, the system takes more time to pay, the other for color digital image processing has not been a good result. Therefore, focus on late goals and improve the efficiency of color image denoising. However, the algorithm has a disadvantage of needing more computing time when select a larger hybrid generation. This will be a key problem to solve in the following work. Our experimental result shows that better result in compression of old and traditional method of image denoising. But the computational time of process is increase. In future we used optimizations method for the reduction of time and improvement of quality of image.

## References

- [1] A. Shaker, W.Y. Yan, and S.M. Easa, "Using stereo satellite imagery for topographic and transportation applications: An accuracy assessment," *GIScience and Remote Sensing*, vol. 47, no. 3, pp. 321- 337, Sept. 2010.
- [2] N. Duta, "Road detection in panchromatic SPOT satellite images," in *Proc. of the 15th International Conf. on Pattern Recognition*, Barcelona, Spain, Sept. 2000, pp. 308- 311.
- [3] J. Luo, D. Ming, W. Liu, Z. Shen, M. Wang, and H. Sheng, "Extraction of bridges over water from IKONOS panchromatic data," *Int. J. of Remote Sensing*, vol. 28, no. 16, pp. 3633-3648, Aug. 2007.
- [4] K. Karantzalosy, and N. Paragios, "Automatic model-based building detection from single panchromatic high resolution images," in *Proc. of the XXI ISPRS Congress*, Beijing, China, pp. 127-132, July 3-11 2008.
- [5] M. A. Shaban, and O. Dikshit, "Improvement of classification in urban areas by the use of textural features the case study of lucknow city, Uttar Pradesh," *Int. J. of Remote Sensing*, vol. 22, no. 4, pp. 565- 593, Mar. 2001.
- [6] P. V. Narasimha Rao, M. V. R. Sessa Sai, K. Sreenivas, M. V. Krishna Rao, B. R. M. Rao, R. S. Dwivedi, and L. Venkataratnam, "Textural analysis of IRS-1D panchromatic data for land cover classification," *Int. J. of Remote Sensing*, vol. 23, no. 17, pp. 3327- 3345, Sept. 2002.
- [7] Q. Zhang, J. Wang, P. Gong, and P. Shi, "Study of urban spatial patterns from SPOT panchromatic imagery using textural analysis," *Int. J. of Remote Sensing*, vol. 24, no. 21, pp. 4137-4160, Nov. 2003.
- Comparison graph between psnr and method** 21.5 22 22.5 23 23.5 24 24.5 25 25.5 26 26.5 ANN ANN + Edge Preserving Winner Filter Proposed **method psnr PSNR(DB) Comparison graph between psnr and method** 23 24 25 26 27 28 29 30 ANN ANN + Edge Preserving Winner Filter Proposed **Method psnr PSNR(DB)** [8] S. M. Phalke, and I. Couloigner, "Change detection of linear manmade objects using feature extraction technique," in *Proc. of the ISPRS Joint Conf. of the 3rd Int. Symp. Remote Sensing and Data Fusion Over Urban Areas and the 5th Int. Symp. Remote Sensing of Urban Areas*, USA, Mar. 2005.
- [9] C. Song, "Estimating tree crown size with spatial information of high resolution optical remotely sensed imagery," *Int. J. of Remote Sensing*, vol. 28, no. 15, pp. 3305-3322, Jan. 2007.
- [10] C. Corbane, F. Marre, and M. Petit, "Using SPOT-5 HRG data in panchromatic mode for operational detection of small ships in tropical area," *Sensors*, vol. 8, no. 5, pp. 2959-2973, May 2008.
- [11] A. Cohen and R. D. Ryan, *Wavelets and Multiscale Signal Processing*, London: Chapman & Hall Press, 1995.
- [12] D. Heermann and N. Khazenie, "Classification of multispectral remote sensing data using a back-propagation neural network," *IEEE Trans. on Geoscience and Remote Sensing*, vol. 30, no. 1, pp. 81-88, 1992.
- [13] Y. C. Tzeng and K. S. Chen, "A fuzzy neural network to SAR image classification," *IEEE Trans. on Geoscience and Remote Sensing*, vol. 36, no. 1, pp. 301-307, 1998.
- [14] G.A. Carpenter, M.N. Gajja, S. Gopal, and C.E. Woodcock, "ART neural networks for remote sensing: vegetation classification from Landsat TM and terrain data," *IEEE Transactions on Geoscience and Remote Sensing*, vol. 35, no. 2, 308-325.
- [15] X. L. Dai and S. Khorram, "Remotely sensed change detection based on artificial neural network," *Photogrammetric Engineering and Remote Sensing*, vol. 65, no. 10, pp. 1187-1194, 1999.
- [16] C. L. Giles and M. Gori, editors. *Adaptive Processing of Sequences and Data Structures*, Int. Summer School on Neural Networks, "E.R. Caianiello", Vietri sul Mare, Salerno, Italy, Sept. 6-13, 1997, Tutorial Lectures, vol. 1387 of *Lecture Notes in Computer Science*. Springer, 1998.
- [17] A. C. Tsoi, "Adaptive Processing of Data Structures: An Expository Overview and Comments," Technical report, Faculty of Informatics, University of Wollongong, Australia, 1998.
- [18] P. Frasconi, M. Gori and A. Sperduti, "A general framework for adaptive processing of data structures" *IEEE Trans. on Neural Networks*, vol. 9, no. 5, pp. 768-785, 1998.
- [19] A. C. Tsoi and M. Han genbucner, "Adaptive processing of data structures." *Keynote Speech*, in *Proc. of Third International Conference on Computational Intelligence and Multimedia Applications (ICCIMA '99)*, 1999.
- [20] E. P. Lyvers, O. R. Mitchell, M. L. Akey M, A. P. Reeves: "Subpixel measurements using a moment- based operator", *IEEE Transactions on Pattern Analysis and Machine Intelligence*, 1989.

IJSER